Author Index to Volumes 18, 19, and 20

Abreu JCS, 18:205
Acuto O, 18:93
Aizawa M, 19:117
Albert ED, 18:163
Altshuler R, 18:53
Amar A, 19:179
Amos B, 19:151
Arce-Gomez B, 18:205
Aucott J, 20:279
Awad J, 20:273

Bach FH, 18:261, 19:1, 127, 20:1, 13
Baldwin WM, 19:215
Ball J, 19:29
Barbosa J, 18:205
Battat S, 19:179
Baur MP, 18:163
Bernard A, 19:225
Betuel H, 18:235, 20:233
Bidwell JL, 19:269
Bohme J, 20:95
Bono C, 18:315
Bontrop RE, 19:91
Bosch ML, 19:91
Boyer B, 19:205
Bradley BA, 19:269
Brahmi Z, 20:33
Brandon MR, 20:195
Brautbar C, 19:179
Bray RA, 19:105
Breur-Vriesendorp BS, 20:265
Brodsky FM, 18:301
Burmester G, 20:59
Bushell A, 20:175

Cairns JS, 18:261
Campion G, 19:269
Carbonara A, 19:69
Carey JT, 20:279
Carlsson B, 20:95
Carrier C, 20:71
Carrington MN, 18:151
Carpenter CB, 20:293
Carter C, 20:249
Cascino I, 18:225
Cassell PG, 20:273
Catto GRD, 19:7
Chedid M, 18:151
Chen BP, 18:75, 19:163
Claas FHJ, 19:215
Clark BD, 20:47
Cohen N, 19:179
Cunningham C, 19:7
Curtsinger JM, 18:261

Daffos F, 18:331
Dahl CA, 20:1
D'Amaro J, 19:215
Dawson JR, 18:259, 19:151
de Kretser T, 20:195
DeMars R, 18:75
de Oliveira MRP, 18:205
de Vries RRP, 18:265
de Waal LP, 18:183, 20:265
Ding AH, 18:301
di Vecchia L, 18:225
Dupont B, 19:189
Duquesnoy R, 18:225

Ellner JJ, 20:279
Endo T, 20:209
Engelen I, 19:255
Engelfriet CP, 18:183, 20:265
Enssle K-H, 18:135
Evans EL, 18:301

Falk JA, 19:41
Farre A, 18:235
Fei H, 19:91
Ferrone S, 19:69
Festenstein H, 20:273
Fitzharris TP, 18:39
Fleischer B, 18:135
Flomenberg N, 19:189
Forestier F, 18:331
Foroni L, 20:167
Fotino M, 19:69
Fraser PA, 20:293
Freeman SM, 19:1, 20:1
Freidel AC, 18:235, 20:233
Fuggle SV, 20:249
Fukasawa Y, 19:117

Gascan H, 19:53
Gazit E, 18:53
Gebel HM, 19:105
Gebuhrer L, 18:235, 20:233
Gelfand EW, 19:41
Gerrets R, 19:91
Gil R, 18:53
Giles CM, 18:111
Ginsberg-Fellner F, 20:71
Giphart MJ, 18:265, 19:91
Gorski J, 20:273
Gottschalk LR, 19:105
Goyert SM, 19:287
Gregersen PK, 19:287
Grumet FC, 18:65

Hank JA, 19:163
Hannestad K, 20:219, 307
Hansen JA, 19:179
Hansen T, 20:219, 307
Hawkin S, 19:117
Haynes BF, 20:127
Hercend T, 18:331
Hilden JM, 18:261
Hitman GA, 20:273
Hoffman P, 19:235
Hommel-Berrey GA, 20:33
Hoxie JA, 18:39

Ikeda H, 19:117
Innes A, 19:7
Ishikawa N, 19:117, 20:209
Ivanyi P, 20:115, 265

Jacques Y, 19:53
Jager MJ, 19:215
Jazwinska EC, 20:145
Jewell DP, 20:175
Jorkasky D, 19:139
Juji T, 18:247
Juy D, 19:225

Karagiannis JA, 20:175
Kasahara M, 19:117
Kashiwagi N, 20:209
Kievits F, 20:115
Kirkley J, 20:249
Klein J, 19:155
Klitz W, 18:163
Klouda PT, 19:269
Kojima H, 19:105, 20:209
Kolstad A, 20:219, 307
Koning F, 19:255
Kornbluth J, 19:139
Krangel MS, 20:155
Kristof S, 19:245
Krom FEJM, 20:265
Kunikane H, 19:117

Lamb JR, 19:79
Lambert J, 18:235
Landay AL, 19:105
Larocca LM, 18:93
Lederman MM, 20:279
Ledingham JGG, 20:175
Lee JWW, 19:41
Lefkowitz M, 19:139
Leggat JE, 20:293
Le Mauff B, 19:53
Letarte M, 19:41
Levy JP, 20:233
Lind T, 19:7
Lo SK, 18:163
Lopez de Castro JA, 20:265

Mach B, 20:273
Madden M, 19:1
Maddison PJ, 19:269
Mandel RB, 19:163
Marrari M, 18:225
Marshall P, 20:71
Martz E, 18:3
Mathisen G, 20:307
Matthews DM, 18:39
Matsuki K, 18:247
Matsui Y, 18:123
Matsuyama T, 20:59
Mawas C, 19:53
McMichael AJ, 19:79, 20:175
McQueen K, 19:205
Meier-Ewert K, 20:189
Mellins E, 18:211
Mickelson E, 19:179
Mickleson KNP, 20:145
Milford EL, 20:293
Moliterno RA, 18:205
Mollen N, 20:71
Moller E, 20:95
Moreau J-F, 19:53
Morolli B, 18:265
Morris PJ, 20:249
Mueller-Eckhardt C, 18:181, 20:189
Mueller-Eckhardt G, 18:181, 20:189

Nakayama T, 19:117
Nelson PJ, 20:1
Ness DB, 18:65
Neugebauer M, 18:163
Nikaein A, 19:205
Nisbet-Brown E, 19:41
Niven MJ, 20:273
Noreen HJ, 20:1
Nunez G, 19:29
Nunez-Roldan A, 20:71

Obata F, 20:209
Oettgen HC, 18:187
Ogasawara K, 19:117
Olive D, 19:53
O'Sullivan DM, 18:315

Pagniez M, 18:331
Park MS, 20:47
Pawelec G, 19:279
Pereira B, 18:315
Pesando JM, 19:235
Pious D, 18:211
Power DA, 19:7
Puri N, 20:195

Quaranta V, 18:315

Rackowski JL, 18:39
Radka SF, 18:39, 287
Rainaut M, 18:331
Ramos EL, 20:293
Reinsmoen NL, 19:127, 20:1, 13
Robins HI, 19:163
Robbins PA, 18:301
Rodey G, 19:245
Rodrigues AL, 18:205
Rodriquez de Cordoba S, 20:71
Roe C, 20:167
Rosenkrantz K, 19:189
Rothbard JB, 19:79
Rubinstein P, 20:71
Russo C, 19:69
Rust NA, 20:175
Ryan DH, 19:205

Sachs JA, 20:273
Sacks SH, 20:175
Sanfilippo F, 19:153
Sansom DM, 19:269
Sasaki MG, 18:205
Satake M, 18:247
Saunders TL, 19:1
Schacter B, 20:279
Schendel DJ, 20:189
Schreuder GMTh, 18:265
Schwartz BD, 18:315
Scornik JC, 18:277
Scott RG, 18:287
Scrivner D, 19:245
Segall M, 19:1
Serjeantson SW, 20:145
Shookster L, 20:59
Silver J, 19:287
Sinangil F, 19:17
Singer KH, 20:127
So AK, 20:167
Sondel PM, 18:75, 19:163
Song Q-L, 19:287
Soulillou J-P, 19:53
SpeckdoNascimento VA, 18:205
Stastny P, 19:29
Sterkers G, 19:225, 20:233
Stewart SJ, 18:287
Strohmaier P, 20:189
Stucki M, 19:235

Terasaki PI, 20:47
Terhorst C, 18:187
Termijtelen A, 19:91, 255
Thomson G, 18:163
Tilanus MGJ, 18:265, 19:91, 255
Ting JP-Y, 18:151

Tonai R, 20:47
Trent RJ, 20:145
Trucco M, 18:225
Turka LA, 20:293

van Dalen CM, 18:183
van der Bijl M, 18:265
van Eggermond MCJA, 18:265
van Rood JJ, 19:215, 255
Volsky DJ, 19:17
von dem Borne AEGKr, 18:183

Wagner H, 18:135
Wakisaka A, 19:105
Walker M, 20:71
Wallin J, 20:95
Walport MJ, 20:167
Ward FE, 18:151
Warner NL, 18:301
Watts F, 20:249
Weetman AP, 20:167
Wernet P, 19:279
White BS, 20:145
Williams D, 19:189
Winchester R, 20:59, 71
Woelfel M, 18:211
Wood KJ, 20:175
Wu S, 19:1, 127

Yabe T, 19:127
Yenchitsomanus PT, 20:145
Youngbar PR, 18:39

Zeevi A, 18:225
Zeliszewski D, 20:233
Zier KS, 19:17

Subject Index to Volumes 18, 19, and 20

Acquired immunodeficiency syndrome (AIDS), expression of lymphocyte activation antigens including 4D12, 20:279
Alloantigens on human monocytes, HMA-1 and HMA-2, 19:215
Alloantisera
  LY1327, division of HLA-DQw1, 18: 235
  recognition of HLA-A2 epitopes by in broadly sensitized patients, 18:277
  specific for HLA-B27 subtypes, 20:266
  TK2, detection of a novel class II antigen, 18:247
Allograft rejection, increase in NK in cyclosporine-treated patients undergoing, 19:139
Alloreactive T-cell clones, recognition of DQ β specificities associated with DQw1, 18:225
Antigen presentation
  heat-treated peripheral blood mononuclear cells and EBV-transformed lymphoblastoid cell lines, 19:163
  peripheral blood adherent cells, 19:29
  restriction by products of multiple HLA-linked loci, 18:75
Antigen recognition by T-cell clones, 19: 41
Antigenic function of heated antigen-presenting cells, 19:163
Autocytotoxic and autosuppressor T-cell lines, generation from autologous lymphocyte cultures, 19:189

B-cell differentiation, altered surface phenotype including class II on a malignant human B-cell line, 19: 235
B-cells, frequency of responders to T cells activated by anti CD 2, 19:225
B5Rg+ allotype of C4, Chido determinants detected on, 18:111

CD2 and LFA-3 interactions in the thymus, 20:167
CD2 monoclonal antibody-activated T cells, frequency analysis of B cells responding to, 19:225
CD-16+ lymphoproliferative disorders, models for NK cell differentiation, 19:105
Celiac disease, association with subtypes of HLA-DR3, 20:175
Cellular enzyme-linked immunospecific assay (CELISA), detection of maternal alloantibodies, 19:9
Chido determinants, detection on B5Rg+ allotype of C4, 18:111
Cytotoxic T lymphocytes
  detection of minor alloantigens, 19:17
  mumps virus-specific and HLA restriction, 18:135

Double determinant assay, class I typing from serum, 19:69
DR βI alleles, comparison from diabetics and normals, 19:1
DR βI alleles of DR4/Dw subtypes, oligonucleotide probing, 20:1
DR4+ rheumatoid arthritis, HLA-DQ α and -DQ β RFLP, 19:269
Dw"SHA", a new DR4 associated Dw subtype in Israeli Jews, 19:179

Editorials
  ethical issues and other viewpoints, 19: 151
  gene sequence data papers, format, 18: 259
  honesty in science, 18:185
  speedy publication, 18:1

Fetal peripheral blood, characterization of mononuclear cell subpopulations in, 18:331

Heat-treated antigen-presenting cells, 19:163
High resolution isoelectric focusing, molecular characterization of class II molecules: DR and DQ gene variants, 20:71
HLA-A2 epitopes, recognition by alloantibodies in sensitized patients, 18:277
HLA-A9, association with viral hepatitis A, 18:205
HLA-antigen-loss variants
  HLA-DQ and -DP, in T-cell responses to soluble antigens, 18:211
  restriction elements and the presentation of soluble antigen to T cells, 18:75
HLA-B15 and -B5 complexes, serologic and biochemical analysis, 20:47
HLA-B27 polymorphisms, detection by RFLP typing, 18:65
HLA-B27 subtypes, detection by conventional alloantisera and CTL, 20:266
HLA class I antigens
  increased expression in early stages of T-cell activation, 18:123
  two forms in human plasma, 20:155
HLA class I implantation, detection of minor alloantigens, 19:17
HLA class I-specific helper-inducer T-cell clone, 19:205
HLA class I typing from serum, double determinant assay, 19:69
HLA class II antigen expression, changes on a B-cell line variant related to differentiation, 19:235
HLA class II antigens
  differential expression on CD-16+, NK cells, 19:105
  nonrandom association with HTLV-III virions, 18:39
HLA class II-associated chondroitin sulfate proteoglycan, 18:315
HLA class II RFLPs in Polynesians and Melanesians, 20:145
HLA class III antigens, Chido determinants detected on B5Rg+ allotype of C4, 18:111
HLA-D homozygous typing cells, unique epitopes detected by alloreactive T-cell clones, 19:279
HLA-DP, -DQ, -DR, distinguishing monoclonal antibodies, 18:301
HLA-DQ α and -DQ β RFLP, association with Felty's syndrome and DR4+ rheumatoid arthritis, 19:269
HLA-DQ α and -DQ β polymorphism, HLA-DRw6 associated, 19:91
HLA-DQ and -DP, restriction elements in T-cell responses to soluble antigens, 18:211
HLA-DQ and -DR antigens, antigen presentation and T-cell activation, 19:29
HLA-DQ β sequences, HLA-DR4 haplotypes, 18:261
HLA-DQ"blank"
  alloantiserum TK2, 18:247
  a novel class II specificity, DQ"Wa", 20:209
HLA-DQ molecules, a unique monomorphic epitope recognized by MoAb 1a3, 20:59
HLA-DQ private specificity, 18:287
HLA-DQ"Wa", a novel class II specificity on DQ of DR4, Dw15 and DRw8, Dw8 B-cell lines identified as DQ"blank", 20:209
HLA-DQw1 and -DQw3 subgroups, definition with the human-human hybridoma antibody TrB12, 20:219
HLA-DQw1
  detection with a human-human hybridoma, cytotoxic antibody (Tr7E2), 20:307
  division of by alloantiserum LY1327, 18:235
  recognition of two DQ β specificities with alloreactive T-cell clones, 18:225
HLA-DQw3 β chain, molecular complexity and the TA10 determinant, 18:287
HLA-DR α, -DX α and -DR βIII gene association, HLA-DR3, 20:273
HLA-DR α gene, methylation patterns before and after activation with interferon, 18:151
HLA-DR and -DQ determinants, contribution to HLA-Dw typing, 20:233
HLA-DR and -DQ DNA polymorphisms: new linkages relationships by RFLP in Polynesians and Melanesians, 20:145
HLA-DR and -DQ gene variants, molecular characterization of gene products by high resolution IEF, 20:71
HLA-DR and -DQ haplotypes, RFLP analysis, 20:95

HLA-DR2 haplotypes
male segregation distortion in narcolepsy patients, 20:189
T-cell clonal analysis, 20:13
HLA-DR2.3 haplotype, protein analysis, 19:127
HLA-DR3 haplotype, functional and biochemical subtypes of in patients with celiac disease or idiopathic membranous nephropathy, 20:175
HLA-DR3, multiple epitopes associated with detected by MoAbs, 20:249
HLA-DR4 haplotypes
HLA-DQ β gene sequences, 18:261
microheterogeneity: DNA sequence analysis of LD"KT2" and LD"TAS", 19:287
HLA DRw6
association with platelet-specific Zw^{a}H antigen, 18:181
haplotype polymorphisms, DQ α and DQ β polymorphism, 19:91
HLA DRw8 + DRw12, detection by a cytotoxic monoclonal antibody (HU-39), 19:117
HLA DRw52
association with platelet-specific Zw^{a}H antigen, 18:181
definition of multiple epitopes on with MoAbs, 20:249
HLA-Dw clusters associated with DR4 in Israeli Jews, Dw"SHA", a new subtype, 19:179
HLA-Dw typing, contribution of HLA-DR and -DQ, 20:233
HMA-1 and -2, human monocyte diallelic antigens, 19:215
Honesty in science, reply to an editorial (Letter to the editor), 19:153
HTLV-III virions, nonrandom association with HLA class II antigens, 18:39
HT system (Qa-Tla-like gene products), 18:53
H2 heavy-chain polymorphic determinants, recognition by MoAb w6/32, 20:115

Idiopathic membranous nephropathy, association with subtypes of HLA-DR3, 20:175
IL-2 receptor, interrelationship between monoclonal antibody binding sites and the IL-2 binding site, 19:53
Influenza virus antigens, T-cell recognition, 19:79
Insulin-dependent diabetes, comparison of DR βI alleles, 19:1
β-Interferon, induced expression of new non-HLA class I antigens, 18:53
γ-Interferon, induction of HLA Dr antigens on melanoma cell lines, 18:151
Invariant chain, HLA class II-associated chondroitin sulfate proteoglycan and, 18:315
Isoelectric focusing (IEF)
high resolution, molecular characterization of class II molecules: DR and DQ gene variants, 20:71
one-dimensional, analysis of HLA-B15 and -B5 complexes, 20:47

LB-Q1, a DRw52-like epitope, identification at the genomic level of associated shared hybridizing fragments, 19:255
LB-Q1, molecular localization of a DRw52-like T-cell recognition epitope, 19:255
LD"KT2" sequence analysis, HLA-DR4 haplotype microheterogeneity, 19: 287
LD"TAS" sequence analysis, HLA-DR4 haplotype microheterogeneity, 19: 287
Letter to the editor, in reply to the editorial, "Honesty in science", 19: 153
LFA-1 and other accessory molecules in adhesions of T and B lymphocytes, 18:3
LFA-3 and CD2 interactions in the thymus, 20:167

Maternal alloantibodies, early pregnancy, 19:9
Melanoma cell lines, induction of HLA Dr antigens by γ-interferon, 18: 151
MHC polymorphism, origin of: the trans-species hypothesis, a review, 19: 155
β_2-Microglobulin, significance for MHC determinants, 20:115
Minor alloantigens, detection by restriction determinant implantation, 19:17
Mixed lymphocyte response-induced suppressor T cells, antigen specificity, 20:293
Monoclonal antibodies (MoAb)
anti IL-2 receptor, 33B3.1, 19:53
definition of multiple polymorphic

epitopes on HLA-DRw52 with, 20: 249
detection of DRw8 + DRw12 by a cytotoxic MoAb, 19:117
distinguishing HLA-DP, -DQ, and -DR, 18:301
4D12, a lymphocyte activation antigen expressed on lymphocytes in AIDS patients, 20:279
HU46, HLA-DQ"Wa" and HLA-DQ"blank", 20:209
1a3, recognition of a monomorphic epitope unique to DQ molecules, 20:59
to sheep MHC class II molecules, recognition of all HLA-D or subsets of D-region products, 20: 195
TrB12, a human-human hybridoma antibody defining subgroups of HLA-DQw1 and -DQw3, 20:219
Tr7E2, a human-human hybridoma antibody cytotoxic for HLA-DQw1 cells, 20:307
w6/32, recognizes polymorphic H2 heavy-chain determinants exposed by association with bovine or human β_2-microglobulin, 20:115
Mononuclear cell subpopulation analysis, fetal peripheral blood, 18:331
Mumps virus-specific CTL, quantitative analysis of HLA restriction, 18:135

Narcolepsy, possible male segregation distortion of HLA-DR2 haplotpyes, 20:189
Natural killer (NK) cell differentiation, CD-16+ lymphoproliferative disorders as models for, 19:105
Natural killing
increase in cyclosporine-treated renal allograft recipients during rejection, 19:139
soluble cytotoxic factors generated by mycoplasma-contaminated targets, 20:33
Natural killer cytotoxic factors (NKCF), generation by mycoplasma-contaminated target cells, 20:33
Non-HLA class I antigens, induction with β-interferon, 18:53
Non-Mendelian segregation of gametes, segregation distortion in HLA, 18: 163
Novel HLA class II antigens
detection with alloantiserum TK2, 18: 247
restricting elements, 19:41
Novel class II polymorphism, revealed by RFLP analysis of HLA class II DNA, 18:265

Oligonucleotide probing
DR βI alleles of DR4/Dw subtypes, 20: 1
HLA-DR α, -DX α and -DR βIII in HLA-DR3, 20:273
One-dimensional isoelectric focusing (1D-IEF), analysis of HLA-B15 and -B5 complexes, 20:47
Organ donation, letter to the editor, 18: 258

Plasma HLA class I molecules, 20:155
Platelet-specific Zw^aH antigen, association with HLA-DRw52 and/or -DRw6, 18:181
Primary autoimmune hypothyroidism, linkage to T-cell receptor α chain V-region polymorphism, 20:167

Restriction elements
antigen presentation by products of multiple HLA-linked loci, 18:75
HLA-DQ and -DP, in T-cell responses to soluble antigens, 18:211
novel MHC class II determinants, 19: 41
quantitative analysis of mumps virus-specific CTL, 18:135
RFLP typing
HLA-DQ α and -DQ β, association with Felty's syndrome and DR4+ rheumatoid arthritis, 19:269
HLA-DR α, -DX α and -DR βIII gene association in HLA-DR3, 20:273
HLA-DR and -DQ DNA polymorphisms: new linkage relationships by in Polynesians and Melanesians, 20:145
HLA-DR and -DQ haplotypes, 20:95
HLA-DR3 subtypes, association with celiac disease and idiopathic membranous nephropathy, 20:175
new polymorphisms of HLA-B27 and other B locus antigens, 18:65
novel class II polymorphisms revealed by, 18:265
T-cell receptor α chain V-region polymorphism linkage to primary autoimmune hypothyroidism, 20: 167

Segregation distortion
in HLA, 18:163

DR2 haplotypes in narcolepsy patients, 20:189
Seminars in T-cell immunobiology
epithelial-thymocyte interactions in human thymus, 20:167
LFA-1 and other accessory molecules in adhesions of T and B lymphocytes, 18:3
T-cell antigen receptor expression in the thymus, 18:93
T-cell receptor-T3 complex and T-cell activation, 18:187
T-cell recognition of influenza virus antigens, 19:79
Shared hybridizing fragments
analysis of HLA DNA by RFLP, 18:265
localization of LB-Q1, a DRw52-like T-cell epitope, 19:255
Sheep MHC class II molecules, MoAbs to recognize all HLA-D or subsets of D region products, 20:195

TA10 determinant, location of DQw3 β chain, 18:287
T-cell activation
expression of HLA-DQ and -DR antigens by peripheral blood adherent cells, 19:29
increased expression of HLA class I antigens and decreased expression of T-cell differentiation antigens, 18:123
the T-cell receptor-T3 complex and, 18:187
T-cell antigen receptor, expression in the thymus, 18:93
T-cell clones
alloreactive, detecting unique epitopes expressed on homozygous typing cells, 19:279
analysis of HLA-DR2 haplotypes, 20:13
class I-specific helper-inducer, 19:205
T4+, tetanus toxin B-chain specific, 19:245
T-cell differentiation antigens, decreased expression in the early stages of activation, 18:123
T-cell lines, autocytotoxic and autosuppressive, 19:189
T-cell receptor, α chain V-region polymorphism linked to primary autoimmune hypothyroidism, 20:167
T-cell receptor-T3 complex, T-cell activation, 18:187
T-cell recognition of influenza virus antigens, 19:79
Tetanus toxin, B-chain-specific, T4+ T-cell clones, 19:245
Tetanus toxoid-specific T-cell clones, restriction by novel MHC class II determinants, 19:41
Thymus, epithelial-thymocyte interactions in, 20:167
Thymocyte-epithelial interactions in the thymus, 20:167
Trans-species hypothesis, origin of MHC polymorphism, 19:155
T-suppressor cells, antigen specificity of mixed lymphocyte response induced, 20:293

Viral hepatitis A and HLA-A9, 18:205